

1170 – 330 St. Mary Avenue, Winnipeg, MB R3C 3Z5

Tel: (204) 949-7000 Toll free: (888) MILNCO-1 (888-645-6261) Fax: (204) 943-7053

**COMBINATION FURNACE QUESTIONNAIRE**

Clear **photographs** and questionnaire required for each installation (stoves and chimneys)

NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
POLICY # \_\_\_\_\_ BROKER: \_\_\_\_\_ inspected by: \_\_\_\_\_

**WOOD BURNING APPLIANCE**

Building appliance is installed in: Dwelling \_\_\_\_\_ Garage \_\_\_\_\_ Workshop \_\_\_\_\_ Other \_\_\_\_\_  
If in dwelling where? Main floor \_\_\_\_\_ Basement \_\_\_\_\_ Porch \_\_\_\_\_ Other \_\_\_\_\_  
Manufacturer \_\_\_\_\_ Appliance Type \_\_\_\_\_  
Model \_\_\_\_\_ Age \_\_\_\_\_ Quantity of fuel used \_\_\_\_\_  
Is appliance certified? Yes \_\_\_\_\_ No \_\_\_\_\_ Approved for mobile home? Yes \_\_\_\_\_ No \_\_\_\_\_  
If yes, Canadian standards \_\_\_\_\_ Underwriters Laboratories of Canada \_\_\_\_\_  
Warnock-Hersey Ltd. (Canada) \_\_\_\_\_ Underwriters Laboratories Institute \_\_\_\_\_

Indicate approved clearances (see label or installation manual)  
Sides \_\_\_\_\_ Inches Front side \_\_\_\_\_ inches  
Above Hot Air Plenum \_\_\_\_\_ inches back side \_\_\_\_\_ inches  
Above first six feet of Hot Air Ducting \_\_\_\_\_ inches

Floor protection: Left side \_\_\_\_\_ inches Fueling door end \_\_\_\_\_ inches

**\* NOTE: This section is for the sole use of manufacturer's clearances as shown on the label or brochure. The actual clearances to be shown on the diagram on the reverse side.**

**MASONRY CHIMNEY**

Concrete Block \_\_\_\_\_ Brick \_\_\_\_\_ Other \_\_\_\_\_ Built from Ground \_\_\_\_\_ Bracket \_\_\_\_\_  
Chimney lining: Clay Tile Lining \_\_\_\_\_ Factory Stainless Steel Liner \_\_\_\_\_  
None, or Other, Specify \_\_\_\_\_  
Chimney is installed: Inside building \_\_\_\_\_ outside building \_\_\_\_\_ outside building in insulated enclosure \_\_\_\_\_  
Distance from outer shell of chimney to combustible materials: \_\_\_\_\_ inches age of chimney \_\_\_\_\_ years  
Outside chimney, is it weatherproofed? Yes \_\_\_\_\_ No \_\_\_\_\_ General condition of chimney: Good \_\_\_\_\_ Fair \_\_\_\_\_  
Poor \_\_\_\_\_  
Is chimney cleanout in an accessible location? Yes \_\_\_\_\_ No \_\_\_\_\_

## FACTORY BUILT METAL CHIMNEY

Manufacturer \_\_\_\_\_

Is chimney certified for wood burning appliance bearing ULC-S650 or 2100F label? Yes \_\_\_ No \_\_\_\_\_

Age of chimney \_\_\_\_\_ years. General Conditions of chimney: good \_\_\_ Fair \_\_\_ poor \_\_\_\_\_

Chimney is installed: Installed building \_\_\_ outside building \_\_\_ outside building in insulated enclosure \_\_\_\_\_

Distance from chimney to combustible material \_\_\_\_\_ inches \_\_\_\_\_ inches to inner surface of enclosure if applicable.

## GENERAL INSTALLATION QUESTIONS

Ashes from appliance disposed of in a non-combustible container? Yes \_\_\_ No \_\_\_\_\_

If no, explain \_\_\_\_\_

Was unit installed by a heating contractor? Yes \_\_\_ No \_\_\_ if no, complete below:

Firm or Individual \_\_\_\_\_

Was chimney installed by a heating or masonry contractor? Yes \_\_\_ No \_\_\_ If no, complete below:

Firm or Individual \_\_\_\_\_

Does the furnace share a chimney flue with any other appliance? Yes \_\_\_ No \_\_\_\_\_

If yes, explain what other appliance \_\_\_\_\_

Does the stovepipe pass through a concealed space? (closet, attic, floor, wall) Yes \_\_\_ No \_\_\_\_\_

How often is chimney cleaned per heating season? \_\_\_\_\_ Date last cleaned? \_\_\_\_\_

Any modifications been made to furnace or chimney? Yes \_\_\_ No \_\_\_ If yes, explain \_\_\_\_\_

Distance from hot air plenum to floor joists

Distance from the stovepipe to

Distance from cold air plenum to floor joists

Ceiling \_\_\_\_\_ wall \_\_\_\_\_

Total length of stovepipe: \_\_\_\_\_

# FURNACE INSTALLATION

Distance from the hot air  
Ducting to floor joists for  
The first 6'

Construction of stovepipe  
Galvanized \_\_\_\_\_ Black steel \_\_\_\_\_  
- Single wall \_\_\_\_\_ Double-lined \_\_\_\_\_

Distance from the cold  
air ducting to the floor joists  
for the first 6'

Distance from the front of the  
furnace to a combustable wall

Distance from furnace  
to nearest side wall

Type of floor protection

Distance from the end of floor  
protection to the furnace:  
Front \_\_\_\_\_ Side \_\_\_\_\_ Back \_\_\_\_\_

is there an insulated  
thimble where the  
stovepipe passes  
through the wall or  
ceiling Yes \_\_\_\_\_ No \_\_\_\_\_

Describe the construction  
of the ceiling \_\_\_\_\_

describe the construction  
of back wall \_\_\_\_\_

If the unit is shielded describe the  
type and thickness of the shield

Distance from the shield to the wall/ceiling

**PLEASE SUBMIT PHOTOS OF UNIT & CHIMNEY ALONG WITH COMPLETED FORM**

COMMENTS: \_\_\_\_\_

Completed by: \_\_\_\_\_ date: \_\_\_\_\_